

ULTIMATE



Her Energy Studies

1. Badmaev V, Majeed M, Prakash L (2000). Piperine derived from black pepper increases the plasma levels of coenzyme Q10 following oral supplementation. *J Nutr Biochem*. 11:109-13.
2. Bano G, Raina RK, Zutshi U, Bedi KL, Johri RK, Sharma SC. Effects of piperine on bioavailability and pharmacokinetics of propranolol and theophylline in healthy volunteers. *Eur J Clin Pharmacol*. 41:615-7.
3. Concon JM, Newburg DS, Swerczek TW (1979). Black pepper (*Piper nigrum*): Evidence of carcinogenicity. *Nutr Cancer*. 1:22-6.
4. Epstein SS and Swartz JB (1984). Cancer and diet. *Science*. 224:660-6.
5. Govindarajan VS (1977). Pepper – Chemistry, technology and quality evaluation. *CRC Crit Rev Food Sci Nutr*. 9:115-225.
6. Hu Z, Yang X, Chi Lui Ho P, Chan S, Wan Sia Heng P. (2005). Herb-Drug Interactions A Literature Review. *Drugs* 65 (9): 1239-1282
7. Kasibhatta R and Naidu MUR (2007). Influence of piperine on the pharmacokinetics of nevirapine under fasting conditions. *Drugs RD*. 8:383-91.
8. Naidu KA and Thippeswamy NB (2002). Inhibition of human low density lipoprotein oxidation by active principles from spices. *Mol Cell Biochem*. 229:19-23.

9. Shoba G, Joy D, Joseh T, Majeed M, Rajendran R, Srinivas PS (1998). Influence of piperine on the pharmacokinetics of curcumin in animals and human volunteers. *Planta Med.* 64:353-6.
10. Srinivasan K (2007). Black pepper and its pungent principle-piperine: a review of diverse physiological effects. *Crit Rev Food Sci Nutri.* 47:735-48.
11. Barillari J, Cervellati R, Paolini M, Tatibouet A, Rollin P, et al. (2005) Isolation of 4-methylthio-3-butenyl glucosinolate from *Raphanus sativus* sprouts (Kaiware Daikon) and its redox properties. *Journal of Agricultural and Food Chemistry.* 53: 9890-9896.
12. Fahey JW, Zhang Y, Talalay P. (1997) Broccoli sprouts: an exceptionally rich source of inducers of enzymes that protect against chemical carcinogens. *Proceedings of the National Academy of Sciences.* 94: 10367-10372.
13. Martínez-Villaluenga C, Frías J, Gulewicz P, Gulewicz K, Vidal-Valverde C. (2008). Food safety evaluation of broccoli and radish sprouts. *Food Chem Toxicol.*46(5):1635-44.
14. Nielsen SE, Kall M, Justesen U, Schou A, Dragsted LO. (1997). Human absorption and excretion of flavonoids after broccoli consumption. *Cancer Letters.* 114(1-2): 173-174
15. Shapiro TA, Fahey JW, Dinkova-Kostova AT, Holtzclaw WD, Stephenson KK, et al. (2006). Safety, Tolerance, and Metabolism of Broccoli Sprout Glucosinolates and Isothiocyanates: A Clinical Phase I Study. *Nutrition and cancer.* 55(1): 53-62
16. Takaya Y, Kondo Y, Furukawa T, Niwa M. (2003). Antioxidant constituents of radish sprout (Kaiware-daikon), *Raphanus sativus* L. *Journal of Agricultural and Food Chemistry.* 51: 8061-8066.
17. Tian QG, Rosselot RA, Schwartz SJ. (2005). Quantitative determination of intact glucosinolates in broccoli, broccoli sprouts, Brussels sprouts, and cauliflower by high-performance liquid chromatography-electrospray ionization-tandem mass spectrometry. *Analytical Biochemistry.* 343: 93-99.
18. Wilson RD, Davies G, Désilets V, Reid GJ, Summers A, et al. (2003). The use of folic acid for the prevention of neural tube defects and other congenital anomalies. *Journal of Obstetrician Gynaecol.* 25(11):959-973
19. Zielinski H, Bucinski A, Kozłowska H. (2002). Monitoring of the vitamin C content in germinating cruciferae seeds by HPLC. *Polish Journal of Food Nutrition Sciences.* 11: 142-146.
20. Zielinski H, Piskula MK, Bucinski A, Kozłowska K. (2003). Total antioxidant capacity and its components of Cruciferae seed sprouts. In *European conference on new functional ingredients and foods: Safety health and convenience*, 9-11 April, Copenhagen, Denmark (Abstract. book: P2-B23).
21. Akhlaghi M, Bandy B. (2009). Mechanisms of flavonoid protection against myocardial ischemia-reperfusion injury. *Journal of Molecular and Cellular Cardiology.* 46:309-317.

22. Bailey DG, Arnold MO, Spence JD. (1998). Grapefruit juice-drug interactions. *British Journal of Clinical Pharmacology*. 46:101-110.
23. Bailey DG, Dresser GK, Leake BF, Kim RB. (2007). Naringin is a major and selective clinical inhibitor of organic anion-transporting polypeptide 1A2 (OATP1A2) in grapefruit juice. *Clinical Pharmacology and Therapeutics*. 81(4):495-502.
24. Benavente-Garcia O, Castillo J. (2008). Update on uses and properties of citrus bioflavonoids: New findings in anticancer, cardiovascular, and anti-inflammatory activity. *Journal of Agricultural Food Chemistry*. 56: 6185-6205.
25. Benavente-Garcia O, Alcaraz M, Vicente V, Del Rio JA, Ortuno A. (2007). Beneficial action of Citrus Bioflavonoids on multiple cancer-related pathways. *Current Cancer Drug Targets*. 7:795-809.
26. Cesarone MR, Di Renzo A, Errichi S, Schonlau F, Wilmer JL, et al. (2008). Improvement in circulation and in cardiovascular risk factors with a proprietary isotonic bioflavonoid formula OPC-3®. *Angiology*. 59(4): 408-414.
27. Cesarone MR, Grossi MG, Di Renzo A, Errichi S, Schonlau F, et al. (2009). Accelerated antioxidant bioavailability of OPC-3® bioflavonoids administered as an isotonic solution. *Phytotherapy Research*. 23:775-777.
28. Chun OK, Chung SJ, Song WO. (2007). Estimated dietary flavonoid intake and food sources of U.S. adults. *The Journal of Nutrition*. 137:1244-1252
29. Cornelli U, Terranova R, Luca S, Cornelli M, Alberti A. (2001). Bioavailability and antioxidant activity of some food supplements in men and women using the D-Roms Test as a marker of oxidative stress. *The Journal of Nutrition*. 131:3208-3211.
30. Dallas C, Gerbi A, Tenca G, Juchaux F, Bernard FX. (2008). Lipolytic effect of a polyphenolic citrus dry extract of red orange, grapefruit, orange (SINETROL) in human body fat adipocytes. Mechanism of action by inhibition of cAMP-phosphodiesterase (PDE). *Phytomedicine*. 15:783-792.
31. Garg A, Garg S, Zaneveld LJD, Singla AK. Chemistry and pharmacology of the citrus bioflavonoid hesperidin. *Phytotherapy Research*. 2001; 15:655-669.
32. Hertog MGL, Feskens EJM. (1993). Dietary antioxidant flavonoids and risk of coronary heart disease: The Zutphen Elderly Study. *Lancet*. 342:1007-1011.
33. Jellin JM, Gregory PJ, et al. (2007) *Pharmacist's Letter/Prescriber's Letter Natural Medicines Comprehensive Database*. 9th ed. Stockton, CA: Therapeutic Research Faculty.
34. Kometani T, Fukuda T, Kakuma T, Kawaguchi K, Tamura W, et al. (2008). Effect of a-glucosylhesperidin, a bioactive food material, on collagen-induced arthritis in mice and rheumatoid arthritis in humans. *Immunopharmacology and Immunotoxicology*. 30:117-134.



35. Manthey JA, Guthrie N, Grohmann K. (2001). Biological properties of Citrus flavonoids pertaining to cancer and inflammation. *Current medicinal Chemistry*. 8:135-153.
36. Roza JM, Xian-Liu Z, Guthrie N. The effects of citrus bioflavonoids and tocotrienols on serum cholesterol levels in hypercholesterolemic subjects. *Alternative Therapies*. 2007;13(6):44-48.
37. Silalahi J. Anticancer and health protective properties of citrus fruit components. *Asia Pacific Journal of Clinical Nutrition*. 2002; 11(1):79-84.
38. *Alternative Medicine Review* (2002). Monograph: Calcium-D-Glucarate. *Alt Med Rev*. 7:336-39.
39. Diwivedi C, Heck WJ, Downie AA, Larroya S, Webb TE (1990). Effect of calcium glucarate on B-glucuronidase activity and glucarate content of certain vegetables and fruits. *Biochem Med Met Biol*. 43:83-92.
40. Hanausek M, Walaszek z, Slaga TJ (2003). Detoxifying cancer causing agents to prevent cancer. *Integr Cancer Ther*. 2:139-44.
41. Walaszek Z, Szemraj J, Hanausek M, Adams AK, Sherman U (1996). D-glucaric acid content of various fruits and vegetables and cholesterol-lowering effects of dietary d-glucarate in the rat. *Nutri Res*. 16:673-81.
42. Walaszek Z, Hanausek M, Narog M, Raich PC, Slaga TJ (2004). Mechanisms of lung cancer chemoprevention by D-glucarate. *Chest*. 125:149S-50S.
43. Khare CP (2007). *Indian Medicinal Plants. An Illustrated Dictionary*. New York (USA): Springer Science.
44. Mishra LC (2004). *Scientific basis for Ayurvedic therapies*. Boca Raton (USA): *CRC Press*.
45. Natural Standard (2009). Holy Basil Monograph. Accessed Oct 13, 2009. Webpage available at: <http://www.naturalstandard.com.ezproxy.library.uvic.ca/monographs/monoframeset.asp?monograph=/monographs/herbssupplements/holybasil.asp>
46. Rege NN, Thatte UM, Dahanukar SA (1999). Adaptogenic properties of six rasayana herbs used in Ayurvedic medicine. *Phytother Res*. 13:275-91.
47. Williamson EM (2003). *Potter's Herbal Cyclopaedia (Revised edition)*. *Saffron Walden (UK)*: C.W. Daniel Company Limited.
48. Williamson EM (2002). *Major Herbs of Ayurveda*. London (UK): *Elsevier Science*.
49. Bell MC, Crowley-Norwick P, Bradlow HL, Sepkovic DW, Schmidt-Grimminger D, et al. (2000). Place-controlled trial of indole-3-carbinol in the treatment of CIN. *Gynecol Oncol*. 78:123-9.
50. Bradlow HL, Michnovicz JJ, Halper M, Miller DG, Wong GY, et al. (1994). Long-term responses of women to indole-3-carbinol or a high fiber diet. *Cancer Epidemiol Biomarkers Prev*. 3:591-5.

51. McAlindon TE, Gulin J, Chen T, Klug T, Lahita R, et al. (2001). Indole-3-carbinol in women with SLE: effect on estrogen metabolism and disease activity. *Lupus*. 10:779-83.
52. Michnovicz JJ (1998). Increased estrogen 2-hydroxylation in obese women using oral indole-3-carbinol. *Int J Obes*. 22:227-9.
53. Michnovicz JJ, Adlercreutz H, and Bradlow HL (1997). Changes in levels of urinary estrogen metabolites after oral indole-3-carbinol treatment in humans. *J Natl Cancer Inst*. 89:718-23.
54. Michnovicz JJ and Bradlow HL (1990). Induction of estradiol metabolism by dietary indole-3-carbinol in humans. *J Natl Cancer Inst*. 82:947-9.
55. Minich DM and Bland JS (2007). A review of the clinical efficacy and safety of cruciferous vegetable phytochemicals. *Nutrition Reviews*. 65:259-67.
56. Monograph (2005). Indole-3-Carbinol. *Alternative Medicine Review*. 10:337-42.
57. Naik R, Nixon S, Lopes A, Godfrey K, Hatem MH, et al. (2006). A randomized phase II trial of indole-3-carbinol in the treatment of vulvar intraepithelial neoplasia. *Int J Gynecol Cancer*. 16:786-90.
58. Rosen CA and Bryson PC (2004). Indole-3-carbinol for recurrent respiratory papillomatosis: long-term results. *J Voice*. 18:248-53.
59. Rosen CA, Woodson GE, Thompson JW, Hengesteg AP, Bradlow HL (1998). Preliminary results of the use of indole-3-carbinol for recurrent respiratory papillomatosis. *Otolaryngol Head Neck Surg*. 118:810-5.
60. Wong GYC, Bradlow L, Sepkovic D, Mehl S, Mailman J, et al. (1997). Dose-ranging study of indole-3-carbinol for breast cancer prevention. *J Cell Biochem Supp*. 28/29:111-6.
61. Boots AW, Haenen GRMM, and Bast A (2008). Health effects of quercetin: from antioxidant to nutraceutical. *Eur J Pharm*. 585:325-37.
62. Boots AW, Drent M, de Boer VCS, Bast A, Haenen GRMM (2009). Quercetin reduces markers of oxidative stress and inflammation in sarcoidosis. *Submitted Publication*.
63. Chopra M, Fitzimons PEE, Strain J, Thurnham D, Howard AN (2000). Nonalcoholic red wine extract and quercetin inhibit LDL oxidation without affecting plasma antioxidant vitamin and carotenoid concentrations. *Clin Chem*. 46:1162-70.
64. Davis JM, Murphy EA, Carmichael MD (2009a). Effects of the dietary flavonoid quercetin upon performance and health. *Curr Sports Med Rep*. 8:206-13.
65. Davis JM, Murphy EA, Carmichael MD, Davis B (2009b). Quercetin increases brain and muscle mitochondrial biogenesis and exercise tolerance. *Am J Physiol Regul Integr Comp Physiol*. 296:R1071-7.

66. Edwards RL, Lyon T, Litwin SE, Rabovsky A, Symons JD, et al. (2007). Quercetin reduces blood pressure in hypertensive subjects. *J Nutr.* 137:2405-11.
67. Egert S, Wolfram S, Bosy-Westphal A, Boesch-Saadatmandi C, Wagner AE, et al. (2008). Daily quercetin supplementation dose-dependently increases plasma quercetin concentrations in healthy humans. *J Nutr.* 138:1615-21.
68. Lamson DW and Brignall MS (2000). Antioxidants and cancer III: Quercetin. *Altern Med Rev.* 5:196-208.
69. MacRae HSH and Mefferd KM (2006). Dietary antioxidant supplementation combined with quercetin improves cycling time trial performance. *Int J Sport Nutr Exer Met.* 16:405-19.
70. McAnulty SR, McAnulty LS, Nieman DC, Quindry JC, Hosick PA, et al. (2008). Chronic quercetin ingestion and exercise-induced oxidative damage and inflammation. *Appl Physiol Nutr Metab.* 33:254-62.
71. Shoskes DA, Zeitlin SI, Shahed A, Rajfer J (1999). Quercetin in men with category III chronic prostatitis: a preliminary prospective, double-blind, placebo-controlled trial. *Urology.* 54:960-3.
72. Williamson G and Manach C (2005). Bioavailability and bioefficacy of polyphenols in humans. II. Review of 93 intervention studies. *Am J Clin Nutri.* 81:243S-55S.